

## U.S. Department of Transportation (DOT) Alcohol Testing Form

(The instructions for completing this form are on page 2 of this form)

### STEP 1: TO BE COMPLETED BY ALCOHOL TECHNICIAN

A: Employee Name: \_\_\_\_\_  
(Print) (First, M.I., Last)

B: SSN or Employee ID No. \_\_\_\_\_

C: Employer Name \_\_\_\_\_  
Street \_\_\_\_\_  
City, ST ZIP \_\_\_\_\_

DER Name and Telephone No. \_\_\_\_\_ (\_\_\_\_) \_\_\_\_\_  
DER Name DER Phone Number

D: Reason for Test:  Random  Reasonable Susp  Post-Accident  Return to Duty  Follow-up  Pre-employment

### STEP 2: TO BE COMPLETED BY EMPLOYEE

I certify that I am about to submit to alcohol testing required by U.S. Department of Transportation regulations and that the identifying information provided on the form is true and correct.

\_\_\_\_\_  
Signature of Employee Date: Month Day Year

### STEP 3: TO BE COMPLETED BY ALCOHOL TECHNICIAN

(If the technician conducting the screening test is not the same technician who will be conducting the confirmation test, each technician must complete his/her own form.) I certify that I have conducted alcohol testing on the above named individual in accordance with the procedures established in the U.S. Department of Transportation regulation, 49 CFR Part 40, that I am qualified to operate the testing device(s) identified, and that the results are as recorded.

TECHNICIAN:  BAT  STT DEVICE:  SALIVA  BREATH\* 15-Minute Wait:  Yes  No

SCREENING TEST: (For BREATH DEVICE\* write in the space below only if the testing device is not designed to print.)

Test #	Testing Device Name	Device Serial # OR Lot # & Exp. Date	Activation Time	Reading Time	Result
--------	---------------------	--------------------------------------	-----------------	--------------	--------

CONFIRMATION TEST: Results MUST be affixed to each copy of this form or printed directly onto the form.

REMARKS:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Alcohol Technician's Company Company Street Address  
\_\_\_\_\_  
(PRINT) Alcohol Technician's Name (First, M.I., Last) Company City, State, Zip (\_\_\_\_) Phone Number  
\_\_\_\_\_  
Signature of Alcohol Technician Date: Month Day Year

### STEP 4: TO BE COMPLETED BY EMPLOYEE IF TEST RESULT IS 0.02 OR HIGHER

I certify that I have submitted to the alcohol test, the results of which are accurately recorded on this form. I understand that I must not drive, perform safety-sensitive duties, or operate heavy equipment because the results are 0.02 or greater.

\_\_\_\_\_  
Signature of Employee Date: Month Day Year

COPY 1 – ORIGINAL – FORWARD TO THE EMPLOYER  
COPY 2 – EMPLOYEE RETAINS  
COPY 3 – ALCOHOL TECHNICIAN RETAINS

OMB No. 2105-0529

Affix  
Or  
Print  
Screening Results  
Here

Affix  
With  
Tampere Evident  
Tape

Affix  
Or  
Print  
Screening Results  
Here

Affix  
With  
Tampere Evident  
Tape

Affix  
Or  
Print  
Screening Results  
Here

Affix  
With  
Tampere Evident  
Tape

**Instructions for Completing the  
U.S. Department of Transportation (DOT) Alcohol Testing Form**

**NOTE:** Use a ballpoint pen, press hard, and check all copies for legibility.

**STEP 1** The Breath Alcohol Technician (BAT) or Screening Test Technician (STT) completes the information required in this step. Be sure to print the employee's name and check the box identifying the reason for the test.

**NOTE:** If the employee refuses to provide SSN or I.D. number, be sure to indicate this in the remarks section in STEP 3. Proceed with STEP 2.

**STEP 2** Instruct the employee to read, sign, and date the employee certification statement in STEP 2.

**NOTE:** If the employee refuses to sign the certification statement, do not proceed with the alcohol test. Contact the designated employer representative (DER).

**STEP 3** The BAT or STT completes the information required in this step and checks the type of device (saliva or breath) being used. After conducting the alcohol screening test, do the following (as appropriate):

Enter the information for the screening test (test number, testing device name, testing device serial number, or lot number and expiration date, time of test with any device-dependent activation times, and the results) on the front of the Alcohol Testing Form (ATF). For a breath testing device capable of printing, the information may be part of the printed record.

**NOTE:** Be sure to enter the result of the test exactly as it is indicated on the breath testing device, e.g., 0.00, 0.02, 0.04, etc.

Affix the printed information to the front of the form in the space provided, or to the back of the form, in a tamper-evident manner (e.g., tape), or the device may print the results directly on the ATF. If the results of the screening test are less than 0.02, print, sign your name, and enter today's date in the space provided. The test process is complete.

If the results of the screening test are 0.02 or greater, a confirmation test must be administered in accordance with DOT regulations. An EVIDENTIAL BREATH TESTING device that is capable of printing confirmation test information must be used in conducting this test.

Ensure that a waiting period of at least 15 minutes occurs before the confirmation test begins. Check the box indicating that the waiting period lasted at least 15 minutes.

After conducting the alcohol confirmation test, affix the printed information to the front of the form in the space provided, or to the back of the form in a tamper-evident manner (e.g., tape), or the device may print the results directly on the ATF. Print, sign your name, and enter the date in the space provided. Go to STEP 4.

**STEP 4** If the employee has a breath alcohol confirmation test result of 0.02 or higher, instruct the employee to read, sign, and date the employee certification statement in STEP 4.

**NOTE:** If the employee refuses to sign the certification statement in STEP 4, be sure to indicate this in the remarks line in STEP 3.

Immediately notify the DER if the employee has a breath alcohol confirmation test result of 0.02 or higher.

Forward Copy 1 to the employer. Give Copy 2 to the employee. Retain Copy 3 for BAT/STT records.

**PAPERWORK REDUCTION ACT NOTICE (as required by 5 CFR 1320.21)**

Public reporting burden for this collection of information is estimated for each respondent to average: 1 minute/employee, 4 minutes/Breath Alcohol Technician. Individuals may send comments regarding these burden estimates, or any other aspect of this collection of information, including suggestions for reducing the burden, to U.S. Department of Transportation, Drug and Alcohol Policy and Compliance, Room 10403, 400 Seventh St., SW, Washington, D.C. 20590. Please note that an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number associated with the collection is 2105-0529.